

**Giti**



# Truck & Bus Product Range

**2017**





# Combi Road



Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
245/70R19.5	136/134	M	TL	GSR225	M+S	71	2	C	C
265/70R19.5	140/138	M	TL	GSR225	M+S	71	2	C	C
285/70R19.5	146/145	M	TL	GSR225	M+S	71	2	C	C
275/70R22.5	148/145 (152/148)	M (J)	TL	GSR225	M+S	71	2	C	C
295/80R22.5	154/149	M	TL	GSR225	M+S	71	2	B	C
315/80R22.5	158/150 (154/150)	L (M)	TL	GSR225	M+S	71	2	B	C
315/70R22.5	156/150 (154/150)	L (M)	TL	GSR225	M+S	71	2	B	C
315/60R22.5	154/148	L	TL	GSR225	M+S	71	2	B	C
11R22.5	148/145	M	TL	GSR225	M+S	71	2	C	D
12R22.5	152/149	M	TL	GSR225	M+S	71	2	B	C

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
385/65R22.5	164(160)	K (L)	TL	GSR259	M+S	70	1	B	C
385/55R22.5	158 (160)	L (K)	TL	GSR259	M+S	70	1	B	C

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
12R22.5	152/149	L	TL	GDR655	3PMSF	76	2	B	D
295/80R22.5	152/149	M	TL	GDR655	3PMSF	74	2	B	D
315/70R22.5	154/150 (152/148)	L (M)	TL	GDR655	3PMSF	76	2	B	D

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
315/80R22.5	156/150 (154/150)	L (M)	TL	GDR665	3PMSF	76	2	B	D



# Long Haul



Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
9R22.5	136/134	M	TL	GAL817		70	1	C	D
10R22.5	144/142	M	TL	GAL817		70	1	C	D
255/70R22.5	140/137	M (L)	TL	GAL817		71	1	C	D

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
295/80R22.5	152/148	M	TL	GDL617	3PMSF	74	2	B	D
295/60R22.5	150/147 (149/146)	K (L)	TL	GDL617	3PMSF	74	2	C	D
315/80R22.5	156/150 (154/150)	L (M)	TL	GDL617	3PMSF	74	2	C	D
315/70R22.5	154/150 (152/148)	L (M)	TL	GDL617	3PMSF	74	2	B	D
315/60R22.5	152/148	L	TL	GDL617	3PMSF	74	2	C	D

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
295/80R22.5	152/148	M	TL	GDC629	3PMSF	74	2	B	D





Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
245/70R17.5	143/141 (146/146)	J (F)	TL	GTL919	M+S	69	1	C	D
215/75R17.5	135/133	J	TL	GTL919	M+S	69	1	C	C
235/75R17.5	143/141 (144/144)	J	TL	GTL919	M+S	69	1	C	C
245/70R19.5	141/140	J	TL	GTL919	M+S	69	1	C	C
265/70R19.5	143/141	J	TL	GTL919	M+S	69	1	C	C
285/70R19.5	150/148	J	TL	GTL919	M+S	69	1	C	C
385/65R22.5	164 (158)	K (L)	TL	GTL919	M+S	69	1	B	C
385/55R22.5	160(158)	K (L)	TL	GTL919	M+S	71	2	B	C





Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
435/50R19.5	160	J	TL	GTL925	M+S	70	1	C	C











# Regional







Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
245/70R17.5	136/134	M	TL	GDR638	3PMSF	74	2	C	D
205/75R17.5	124/122	M	TL	GDR638	3PMSF	74	2	C	D
215/75R17.5	126/124	M	TL	GDR638	3PMSF	74	2	C	E
225/75R17.5	129/127	M	TL	GDR638	3PMSF	74	2	C	E
235/75R17.5	132/130	M	TL	GDR638	3PMSF	74	2	C	D
245/70R19.5	136/134	M	TL	GDR638	3PMSF	74	2	C	E
265/70R19.5	140/138	M	TL	GDR638	3PMSF	71	2	C	E
285/70R19.5	146/145	M	TL	GDR638	3PMSF	71	2	C	E

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
10R22.5	144/142	M	TL	GDR688	M+S	73	2	C	D
11R22.5	148/145	M	TL	GDR688	M+S	73	2	C	D

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
265/70R19.5	143/141	J	TL	GTR923	3PMSF	72	2	C	C





Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
295/80R22.5	154/149	L	TL	GAC821	M+S	70	1	A	D





Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
245/70R17.5	136/134	M	TL	GAR820	3PMSF	74	2	C	D
205/75R17.5	124/122	M	TL	GAR820	3PMSF	71	1	C	E
215/75R17.5	128/126	M	TL	GAR820	3PMSF	71	1	C	E
225/75R17.5	129/127	M	TL	GAR820	3PMSF	71	1	C	E
235/75R17.5	132/130	M	TL	GAR820	3PMSF	71	1	C	C
9.5R17.5	144/141	K	TL	GAR820	3PMSF	74	2	C	D











# Mixed Service







Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
11R22.5	148/145	J	TL	GDM686	3PMSF	73	2	C	D
12R22.5	152/148	K	TL	GDM686	3PMSF	73	2	C	D
13R22.5	156/150	K	TL	GDM686	3PMSF	73	2	C	D
295/80R22.5	152/149	K	TL	GDM686	3PMSF	73	2	C	D
315/80R22.5	156/150	K	TL	GDM686	3PMSF	73	2	C	D

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
12.00R20	156/153	J	TT	GDM680	M+S	72	2	B	C

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
13R22.5	156/150 (154/150)	K (L)	TL	GAM831	M+S	74	2	B	D
315/80R22.5	158/150 (154/150)	K (L)	TL	GAM831	M+S	73	2	B	D

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
295/80R22.5	154/149 (152/149)	K (L)	TL	GAM837	3PMSF	71	1	B	D
315/70R22.5	156/150	K (L)	TL	GAM837	3PMSF	72	2	B	C

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
385/65R22.5	160 (158)	K (L)	TL	GAM851	3PMSF	72	2	B	C



The information contained in this catalogue is for general information purposes only. Every effort has been made to ensure the product information provided is accurate and up to date at the time of going to press. We reserve the right to make changes to the product range, descriptions, label data and make modifications or substitutions without prior notice.

Version 4.17



# Urban **U**



**GT867**



**GAU861**

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
11R22.5	148/145	J	TL	GT867	M+S	74	2	C	D
295/80R22.5	154/150	J	TL	GT867	M+S	72	1	C	C
305/70R22.5	152/150(154/150)	J (E)	TL	GT867	M+S	72	1	C	D
315/80R22.5	158/150	J	TL	GT867	M+S	72	1	C	C

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
275/70R22.5	150/145 (154/148)	J (E)	TL	GAU861	3PMSF	73	2	B	D



# Winter **W**



**GSW226**



**GDR621**

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
315/80R22.5	158/150(154/150)	L (M)	TL	GSW226	3PMSF	72	2	B	D
315/70R22.5	156/150 (154/150)	L (M)	TL	GSW226	3PMSF	72	2	B	D
385/65R22.5	164 (160)	K (L)	TL	GSW226	3PMSF	72	2	B	D
385/55R22.5	158 (160)	L (J)	TL	GSW226	3PMSF	73	2	B	D

Size	Load	SI	Tube Type / Tubeless	Pattern		Noise (dB)			
315/80R22.5	156/150 (154/150)	L (M)	TL	GDR621	3PMSF	75	2	B	D
315/70R22.5	154/150 (152/148)	L (M)	TL	GDR621	3PMSF	75	2	B	E

## Fitment Key

**S** Steer

**D** Drive

**T** Trailer

**A** All Position

# Why Buy Giti Tires?

Giti brand tires focus primarily on quality; providing comfortable, durable, and adaptable tires for drivers of all backgrounds.

## A Focus on Production and Quality Management



In each of Giti's seven tire plants, the company sets the highest standard of quality procedures. A highly stringent quality control system and concern for the safety and quality demands in regions across the globe separates the brand from the competition.

## Top Class R&D Facilities & Personnel



A team of over 700 experienced R&D engineers in five cutting-edge facilities around the world and top quality equipment ensure the upmost quality of tire production and delivery.

## Awards and Recognition From the Best



The company has earned extensive recognition from highly credited organizations around the world and some of the automotive industry's largest names, including multiple top supplier awards from General Motors Brazil.

## Respect Around the World



Giti Tire products are trusted by all types of individuals, from the everyday driver to top motorsports performers. Through top performance and an extensive dealer network, the brand has a reputation for quality, performance, and safety.

## A Greater Mission




Giti Tire has an environmental and humanitarian drive that ties into all actions. The company focuses on multiple areas to properly educate people about driving and tire care, reduce energy consumption and pollution, as well as provide financial resources to help make the world a better place.

# Application



### Combi Road Operation:

- Combines regional haul and long haul benefits
- Gives flexibility in a variety of applications



### Mixed Service Operation:

- Frequent use both on and off road
- Higher loads
- Increased risk of damage from road conditions



### Long Haul Operation:

- Long distance journeys mainly on motorways and trunk roads
- Constant speeds with minimal braking and accelerating



### Urban Operation:

- Constant stop and go operating conditions
- Frequent speed changes and turning
- Increased risk of damage from curbing impacts



### Regional Operation:

- Shorter journeys on regional national roads
- Flexible in a variety of applications
- Frequent braking, acceleration and turning



### Winter:

- 3PMSF winter performance requirement
- High traction in snow, ice and wet road conditions

